Amendments to the Claims:

This listing will replace all prior versions, and listings, of claims in the application.

Listing of Claims:

1-69. (cancelled)

70. (previously amended) A compound having the formula:

71. (currently amended) A compound represented by formula I or II:

$$R_{14}$$
 R_{2}
 R_{14}
 R_{3}
 R_{4}
 R_{4}
 R_{10}
 R_{10}
 R_{11}
 R_{12}
 R_{13}
 R_{14}
 R_{14}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}
 R_{15}

or

$$R_{1}$$
 R_{2}
 R_{3}
 R_{4}
 R_{4}
 R_{1}
 R_{2}
 R_{3}
 R_{4}
 R_{4}
 R_{5}

wherein;

 R_1 is hydrogen or a lower alkyl comprising 1-4 carbon atoms; R_2 is hydrogen or a lower alkyl comprising 1-4 carbon atoms; Y is C, N, S, or O, wherein,

if Y is C, then R₃ is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R₄ is hydrogen or a lower alkyl comprising 1-4 carbon atoms,

if Y is N, then R₃ is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R₄ does not exist,

if Y is S, then R_3 does not exist, and R_4 does not exist, if Y is O, then R_3 does not exist, and R_4 does not exist; R_{14} is hydrogen or a lower alkyl comprising 1-4 carbon atoms;

R' is hydrogen or a lower alkyl comprising 1-4 carbon atoms and R" is a lower alkyl comprising 1-4 carbon atoms, or R' and R" together form a cyclopropyl group, wherein the cyclopropyl group is optionally substituted with a lower alkyl having 1-4 carbon atoms;

R" is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R" is a lower alkyl comprising 1-4 carbon atoms, or R" and R" together form a cycloalkyl comprising 3-10 carbon atoms, wherein the eyelopropyl and cycloalkyl groups are is optionally substituted with a lower alkyl having 1-4 carbon atoms;

X is COOH and originates from C3, C4, or C5 of the ring; and n = 0-1;

or a pharmaceutically acceptable ester, amide or salt thereof.

- 72. (previously added) The compound of claim 71, wherein R' and R" taken together form a cyclopropyl.
- 73. (previously added) The compound of claim 71, wherein R" and R" taken together form a cyclopropyl.
- 74. (previously added) A compound represented by formula I or II:

$$R_{14}$$
 R_{14}
 R_{14}
 R_{14}
 R_{14}
 R_{14}
 R_{15}
 R_{14}
 R_{15}
 R_{15}
 R_{15}

or

$$R_1$$
 R_2
 R_3
 R_4
 R_5
 R_5

wherein;

R₁ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;
R₂ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;
Y is C, N, S, or O, wherein,

if Y is C, then R₃ is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R₄ is hydrogen or a lower alkyl comprising 1-4 carbon atoms,

if Y is N, then R_3 is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R_4 does not exist,

if Y is S, then R₃ does not exist, and R₄ does not exist, if Y is O, then R₃ does not exist, and R₄ does not exist;

 R_5 is an alkyl comprising 1-4 carbon atoms, or R_5 is QR_7 , wherein R_7 is hydrogen or a lower alkyl comprising 1-6 carbon atoms;

R₁₄ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;

R' is hydrogen and R" is hydrogen, or R' and R" together form an oxo (keto), or a methano;

R"' is hydrogen;

R"" is hydrogen;

X is COOH and originates from C3, C4, or C5 of the ring; and

n = 0-1; or

a pharmaceutically acceptable ester, amide or salt thereof.

75. (currently amended) A compound represented by formula I or II:

$$R_{14}$$
 R_{2}
 R_{2}
 R_{3}
 R_{4}
 R_{4}
 R_{5}
 R_{5}

or

$$R_1$$
 R_2
 R_3
 R_4
 R_5
 R_5
 R_5

wherein;

R₁ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;

R₂ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;

Y is C, N, S, or O, wherein,

if Y is C, then R_3 is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R_4 is hydrogen or a lower alkyl comprising 1-4 carbon atoms,

if Y is N, then R_3 is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R_4 does not exist,

if Y is S, then R₃ does not exist, and R₄ does not exist,

if Y is O, then R₃ does not exist, and R₄ does not exist;

 R_5 is an alkyl comprising 1-4 carbon atoms, or R_5 is OR_7 , wherein R_7 is hydrogen or a lower alkyl comprising 1-6 carbon atoms;

R₁₄ is hydrogen or a lower alkyl comprising 1-4 carbon atoms;

R' is hydrogen or a lower alkyl comprising 1-4 carbon atoms and R" is a lower alkyl comprising 1-4 carbon atoms, or R' and R" together form a cyclopropyl group, wherein the cyclopropyl group is optionally substituted with a lower alkyl having 1-4 carbon atoms;

R" is hydrogen or a lower alkyl comprising 1-4 carbon atoms, and R" is a lower alkyl comprising 1-4 carbon atoms, or R" and R" together form a cycloalkyl comprising 3-10 carbon atoms, wherein the eyelopropyl and cycloalkyl groups are is optionally substituted with a lower alkyl having 1-4 carbon atoms;

X is COOH and originates from C3, C4, or C5 of the ring; and

a pharmaceutically acceptable ester, amide or salt thereof.

n = 0-1; or

- 76. (previously added) The compound of claim 75, wherein R' and R" taken together form a cyclopropyl.
- 77. (previously added) The compound of claim 75, wherein R" and R" taken together form a cyclopropyl group.
- 78. (previously added) A pharmaceutical composition comprising a compound according to claim 70 and a pharmaceutically acceptable carrier.
- 79. (previously added) A pharmaceutical composition comprising a compound according to claim 71 and a pharmaceutically acceptable carrier.
- 80. (previously added) A pharmaceutical composition comprising a compound according to claim 74 and a pharmaceutically acceptable carrier.

81. (previously added) A pharmaceutical composition comprising a compound according to claim 75 and a pharmaceutically acceptable carrier.